


# Running your own VPN (RYO VPN)



2025-03-25 Lightning Talk at Leipzig Gophers #49  
[Martin Czygan](#)


# Goal

To connect machines across locations (home, mobile, other, ...).

**Tailscale** (2019) builds on **WireGuard** (2015) to offer VPN

solutions, and most of the components are open source, e.g. the **tailscale** client.

PS. WireGuard is included in **Linux 5.6** (2020)




# WireGuard / tailscale

- (mostly) **point-to-point** tunnel exposed as a virtual network device “wg0”
- two endpoints use public-key crypto to setup encrypted connection

Easy, fast secure.

Tailscale adds another management layer on top of wireguard, using a **control server** that manages key exchange, visibility, DNS and more.



# Headscale

- [headscale](#) is an open source implementation of the **tailscale control server**

You can run headscale on your own, on a **VPS** for example and have all your machines connected in a single mesh overlay.

headscale allows a client to “**tailscale login --login-server my.vps**” and then you register the node on the headscale server, and done.

```
→ ssh uc sudo headscale nodes list
```

ID	Hostname	Name	MachineKey	NodeKey	User	IP addresses	Ephemeral	Last seen	Expiration	Connected	Expired
1	N8	n8	[5HTsX]	[0U1n2]	martin	100.64.0.2, fd7a:115c:a1e0::2	false	2025-02-27 21:20:51	0001-01-01 00:00:00	offline	no
2	fifi	fifi	[88taT]	[hhIZY]	martin	100.64.0.3, fd7a:115c:a1e0::3	false	2025-01-25 09:48:11	0001-01-01 00:00:00	offline	no
3	k9	k9	[eYwMz]	[78EKK]	martin	100.64.0.4, fd7a:115c:a1e0::4	false	2025-03-12 14:22:27	0001-01-01 00:00:00	online	no
4	vela	vela	[Nqy+j]	[SCFIu]	martin	100.64.0.5, fd7a:115c:a1e0::5	false	2025-03-12 13:09:39	0001-01-01 00:00:00	online	no
8	bookworm-4g-fsn1-1	bookworm-4g-fsn1-1	[PcszI]	[LsKRU]	martin	100.64.0.1, fd7a:115c:a1e0::1	false	2025-03-12 09:17:37	0001-01-01 00:00:00	online	no
9	zima	zima	[b6G70]	[VkuS8]	martin	100.64.0.6, fd7a:115c:a1e0::6	false	2025-03-12 13:04:34	0001-01-01 00:00:00	online	no



# Use cases / limits

- I run [ollama](#) (local LLM tool) on a desktop machine (behind NAT) and can connect to it from my laptop from anywhere (behind NAT)
- offsite **backup, testing** private projects on **mobile** devices, ...
- limits: [cannot](#) run multiple tailnets at the same time with headscale

```
ollama run deepseek-r1 'Is there a number which when divided by 3 gives a remainder of 1, when divided by 4 gives a remainder of 2, when divided by 5 gives a remainder of 3 and when divided by 6 gives a remainder of 4?' | tail -10
2. \(\ 58 \div 4 \) leaves a remainder of 2.
3. \(\ 58 \div 5 \) leaves a remainder of 3.
4. \(\ 58 \div 6 \) leaves a remainder of 4.
```

Thus, the smallest positive integer satisfying all conditions is 58, and subsequent solutions are found by adding multiples of 60.

```
\[
\boxed{58}
\]
```



# RYO Cloud?

- could you build and run your own cloud provider with a fleet of machines that are part of a tailnet?
- If you are curious, let's hack together on that!

Thanks!

